



Certificate of Analysis
Compliance Test

Client Information:

VITE LEAF

19046 BRUCE B. DOWNS BLVD
TAMPA, FL 33647

Batch # D83RT
Batch Date: 2024-08-15
Extracted From: HEMP

Test Reg State: Florida

Production Facility: TD
MANUFACTURING LLC
Production Date: 2024-08-08

Order # VIT240815-050001
Order Date: 2024-08-15
Sample # AAFW005

Sampling Date: 2024-08-16
Lab Batch Date: 2024-08-16
Completion Date: 2024-08-19

Initial Gross Weight: 81.961 g
Density: 1.036 g/ml
Volume: 30 ml

Number of Units: 1
Net Weight per Unit: 30000.000 mg



Product Image

**Potency
Tested**

**Delta 8/Delta 10 Potency 13 -
(LCUV)**

Specimen Weight: 100.400 mg

Analyte	LOD (%)	LOQ (%)	Result (mg/ml)	(%)
Delta-8 THC	2.60E-5	0.0015	118.860	11.473
CBN	1.40E-5	0.0015	1.191	0.115
CBC	1.80E-5	0.0015	0.342	0.033
CBD	5.40E-5	0.0015	<LOQ	<LOQ
CBDA	1.00E-5	0.0015	<LOQ	<LOQ
CBDV	6.50E-5	0.0015	<LOQ	<LOQ
CBG	2.48E-4	0.0015	<LOQ	<LOQ
CBGA	8.00E-5	0.0015	<LOQ	<LOQ
Delta-10 THC	3.00E-6	0.0015	<LOQ	<LOQ
Delta-9 THC	1.30E-5	0.0015	<LOQ	<LOQ
Delta6a10a-THC	8.47E-5	0.0015	<LOQ	<LOQ
THCA-A	3.20E-5	0.0015	<LOQ	<LOQ
THCV	7.00E-6	0.0015	<LOQ	<LOQ
Total Active CBD			<LOQ	<LOQ
Total Active THC			<LOQ	<LOQ

Tested
SOP13.001 (LCUV)

Potency Summary

Total Delta 8 11.473% 3,565.808 mg	Total Delta 10 None Detected
Total Active THC None Detected	Total Active CBD None Detected
Total CBG None Detected	Total CBN 0.115% 35.742 mg
Total Cannabinoids 11.621% 3,611.807 mg	

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THC = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 9 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (µg/g) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034 Sample not received via laboratory sampling.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.

